

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : A412

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Product for tanning

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DERYPOL, S.A HQ:	Manufacturing:
C/Plató, n 6, Entlo, 5	C/Cal Gabatx, s/n
08021 Barcelona (Spain)	08520 Les Franqueses del Vallès (Spain)
Tel. +34 93 238 9090	Tel. +34 93 8496188
	regulatory@derypol.com

1.4. Emergency telephone number

Emergency number : +34 93 849 6188
9:00-13:00 h 15:00-17:00 h (GMT + 1)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category H319
2

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation.
Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Comments : Acrylic monomers polymer in aqueous emulsion

A412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	1 - 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Beware of possible existing spills of product. See previously the Safety Data Sheet and act accordingly.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Remove the maximum amount of product by using absorbent paper and then rinse with plenty of water. In case of persistent irritation get medical advise. Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse thoroughly with plenty of water, also under eyelids, at least for 15 minutes. Get medical assistance. It is necessary having a safety shower in the work area.
- First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/injuries after inhalation : None expected.
- Symptoms/injuries after skin contact : None expected.
- Symptoms/injuries after eye contact : May include: itching, pain, redness, tears. Causes eye irritation.
- Symptoms/injuries after ingestion : Gastrointestinal discomfort. Repeated ingestion of the product is considered highly unlikely route of exposure if working in adequate sanitary and hygiene conditions.
- Chronic symptoms : None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water, water spray, dry powder, carbon dioxide (CO₂), foam. Water spray.
- Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Under fire conditions thermal decomposition may produce: nitrogen oxides (NO_x) and carbon oxides (CO_x).

5.3. Advice for firefighters

- Precautionary measures fire : Stop leak if safe to do so.
- Firefighting instructions : Fight fire with normal precautions from a reasonable distance.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

6.1.2. For emergency responders

- Protective equipment : Avoid eyes and skin contact; use personal protective equipment.
- Emergency procedures : For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.

6.2. Environmental precautions

Avoid release to the environment. Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

A412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material. For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.
See Section 13 to have information related to waste management.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. We recommend handling the product in a well ventilated area. Ensure you have a safety shower and eye wash fountain available. Keep absorbent material as a precaution against spills.
- Handling temperature : 10 - 30 °C
- Hygiene measures : Use normal personal hygiene and housekeeping measures when handling any chemical product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Store in cool, well-ventilated places. Keep containers tightly closed. Protect from exposure to sun. Keep the product away from incompatible materials and heat sources. If the package is open, or after prolonged storage periods, one can observe a decrease in pH. This is not a problem of product quality. You can recover the initial pH again adding some ammonia with stirring.
- Storage conditions : Avoid extreme temperatures (below "Minimum temperature" and above "Maximum temperature"). Keep in a covered place, with the drum well closed and within the "Recommended temperature range".
- Storage temperature : 0 - 40 °C

7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Natural ventilation is adequate in open areas. Provide mechanical ventilation in confined spaces.

Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

Hand protection:

Use latex gloves, or natural rubber gloves

Eye protection:

Safety glasses with side-shields

Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions

Respiratory protection:

Not necessary under normal conditions and provided good general ventilation

A412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment. Avoid spills to contaminate the underground, surface water streams and sewer system.

Other information:

You should always have a safety shower and eyewash in the area where the product is handled. Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Bluish translucent liquid. Greenish transparent liquid.
Colour	: No data available
Odour	: Neutral odor.
Odour threshold	: No data available
pH	: 8 - 9
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < 0 °C
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Dilutable in all proportions.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 100 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has no hazardous reactivity beyond that specified in paragraph 10.5. However there may be a risk of water contamination of the product during handling and use. Water or water-based products, will dissolve partially and imperfectly the product, and may cause it to be very difficult to use in the application (gel formation, clogged pipes and pumps.). As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.2. Chemical stability

Stable under normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No risk of explosion or polymerization or inflammation on contact with air, even at high temperatures (<100 °C) and in the presence of ignition sources.

10.4. Conditions to avoid

None for safety reasons. For keeping the original properties of the product follow the recommendations given in Section 7.

10.5. Incompatible materials

Strong oxidizers may cause exothermic reactions. As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.6. Hazardous decomposition products

None under normal conditions. Thermal decomposition products (in case of fire) are indicated in Section 5.

A412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified pH: 8 - 9
Serious eye damage/irritation	: Causes serious eye irritation. pH: 8 - 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: No symptoms expected if the product is properly handled. No effects whatsoever related to exposure to the product are known.
Other information	: Through our experience and according to the information available, the product is not harmful to health if handled correctly according to the recommendations given.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

12.2. Persistence and degradability

A412

Persistence and degradability	This polymer is not expected to be rapidly biodegradable.
-------------------------------	---

12.3. Bioaccumulative potential

A412

Bioaccumulative potential	This is a high molecular weight, for this reason it will not permeate the membrane cell. There will be no bio-accumulation.
---------------------------	---

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)

Log Pow	3.32
---------	------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies. Empty containers and residual product must not be washed out with water, this would provoke an inappropriate dissolution of the product and it would increase the amount of waste to dispose. Exhaust as much as possible the product and dispose the empty container taking into account Section 13.1. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Keep the same recommendations provided in Sections 7 and 8 of this MSDS. Refer to Section 2 of this Safety Data Sheet.

A412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

A412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

The product should be considered a mixture. Given its classification is not necessary to perform a chemical safety assessment thereof.
No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Irrit. 2	H319	Calculation method
--------------	------	--------------------

Safety Data Sheet applicable for regions : GB

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product