

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : HIMOLOC TG60

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Product for water treatments

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

|                         |   |
|-------------------------|---|
| DERYPOL, S.A HQ:        | Manufacturing:                          |
| C/Plató, n 6, Entlo, 5  | C/Cal Gabatx, s/n                       |
| 08021 Barcelona (Spain) | 08520 Les Franqueses del Vallès (Spain) |
| Tel. +34 93 238 9090    | Tel. +34 93 8496188                     |
|                         | regulatory@derypol.com                  |

#### 1.4. Emergency telephone number

Emergency number : +34 93 849 6188  
9:00-13:00 h 15:00-17:00 h (GMT + 1)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Other hazards which do not result in classification : Spills will produce extremely slippery surfaces in case of contact with water.

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Cationic acrylamide copolymer in aqueous dispersion

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Name  | Product identifier  | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------|---|
| Sodium nitrate substance with national workplace exposure limit(s) (ES) | CAS-No.: 7631-99-4<br>EC-No.: 231-554-3<br>REACH-no: 01-2119488221-41 | 0,5-5 | Ox. Sol. 2, H272<br>Eye Irrit. 2, H319                          |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Beware of possible existing spills of product. See previously the Safety Data Sheet and act accordingly.  |
| First-aid measures after inhalation   | : In case of trouble go to the open air.  |
| First-aid measures after skin contact | : Remove the maximum amount of product by using absorbent paper and then rinse with plenty of water. In case of persistent irritation get medical advise. |
| First-aid measures after eye contact  | : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Take medical advice.                                 |
| First-aid measures after ingestion    | : Do NOT induce vomiting. Rinse mouth out with water. Consult a doctor.   |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects                    | : Not expected to present a significant hazard under anticipated conditions of normal use.   |
| Symptoms/effects after inhalation   | : None expected.   |
| Symptoms/effects after skin contact | : None expected.   |
| Symptoms/effects after eye contact  | : It causes itching and redness.   |
| Symptoms/effects after ingestion    | : Gastrointestinal discomfort. Repeated ingestion of the product is considered highly unlikely route of exposure if working in adequate sanitary and hygiene conditions. |
| Chronic symptoms                    | : None known.  |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : water spray, powder, foam (carbon dioxide (CO <sub>2</sub> )). |
| Unsuitable extinguishing media | : None.  |

#### 5.2. Special hazards arising from the substance or mixture

|  |  |
|--|--|
| Fire hazard                                      | : Not flammable.   |
| Explosion hazard                                 | : None known.  |
| Hazardous decomposition products in case of fire | : Under fire conditions thermal decomposition may produce: HCl, NH <sub>3</sub> , nitrogen oxides (NO <sub>x</sub> ), carbon oxides (CO <sub>x</sub> ) and sulfur oxides (SO <sub>x</sub> ). |

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Precautionary measures fire    | : Stop leak if safe to do so.  |
| Firefighting instructions      | : Fight fire with normal precautions from a reasonable distance.       |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. |

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Do not step on the spill and avoid contact with water. The affected area, in contact with water, will become extremely slippery. Stop leak if safe to do so.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment. Keep away from people without protection. Slipping hazard if spilled load. Avoid contact with eyes and skin. Do not breathe vapors or spray mist. Personal protective equipment, see section 8.

Emergency procedures : Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

#### 6.2. Environmental precautions

Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.

#### 6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.

See Section 13 to have information related to waste management.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : We recommend handling the product in a well ventilated area. Ensure you have a safety shower and eye wash fountain available. Keep absorbent material as a precaution against spills. Use normal personal hygiene and housekeeping measures when handling any chemical product.

Handling temperature : 10 – 30 °C

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep in a covered place with the drum well closed and within the recommended temperature range. Avoid extreme temperatures on long storage periods, especially at low temperatures, the product may undergo an emulsion degradation process. If this occurs we recommend mixing the product and moving it to a warmer storage zone.

Storage temperature : -5 – 40 °C

Heat and ignition sources : Protect from sunlight. Direct sunlight may provoke slight product coloration and / or colored spots on its surface, which does not mean any degradation. Store in a well-ventilated place.

#### 7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

Natural ventilation is adequate in open areas. Provide mechanical ventilation in confined spaces.

##### 8.2.2. Personal protection equipment

###### Personal protective equipment:

Safety glasses. Gloves.

###### Personal protective equipment symbol(s):



###### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses with side-shields

###### 8.2.2.2. Skin protection

###### Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions

###### Hand protection:

Use latex gloves, or natural rubber gloves

###### Other skin protection

###### Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

###### 8.2.2.3. Respiratory protection

###### Respiratory protection:

Not necessary under normal conditions and provided good general ventilation

###### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid spills that contaminate the underground, surface water streams and sewer system.

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Other information:

You should always have a safety shower and eyewash in the area where the product is handled. Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid  |
| Colour  | : White milky liquid.   |
| Appearance                                      | : White milky liquid.   |
| Odour   | : Salty odor.   |
| Odour threshold                                 | : Not available   |
| Melting point                                   | : < -10 °C  |
| Freezing point                                  | : Not available   |
| Boiling point                                   | : > 100 °C  |
| Flammability                                    | : Not applicable. Water-based product, free of organic solvents.<br>Not applicable. Water-based product, free of organic solvents.  |
| Lower explosion limit                           | : Not available   |
| Upper explosion limit                           | : Not available   |
| Flash point                                     | : Not applicable. Water-based product, free of organic solvents.  |
| Auto-ignition temperature                       | : Not applicable. Water-based product, free of organic solvents.  |
| Decomposition temperature                       | : > 150 °C  |
| pH  | : 3 – 4.5   |
| Viscosity, kinematic                            | : Not available   |
| Viscosity, dynamic                              | : < 2000 cP   |
| Solubility                                      | : Water soluble. Concentrations above 3% become very viscous. Product solubility limit depend on dissolution conditions (concentration, pH, temperature, preparation system - agitation). |
| Partition coefficient n-octanol/water (Log Kow) | : < 3   |
| Vapour pressure                                 | : Not available   |
| Vapour pressure at 50°C                         | : Not available   |
| Density   | : 1.2 g/cm <sup>3</sup>   |
| Relative density                                | : Not available   |
| Relative vapour density at 20°C                 | : Not available   |
| Particle characteristics                        | : Not applicable  |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product has no hazardous reactivity beyond that specified in paragraph 10.5. However there may be a risk of water contamination of the product during handling and use. Water or water-based products, will dissolve partially and imperfectly the product, and may cause it to be very difficult to use in the application (gel formation, clogged pipes and pumps). As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

### 10.2. Chemical stability

This product is stable. After long periods at rest we may observe a slight floatation that does not mean any degradation; the product can recover its original homogeneity easily by agitation.

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No risk of explosion or polymerization or inflammation on contact with air, even at high temperatures (<100 ° C) and in the presence of ignition sources.

### 10.4. Conditions to avoid

None for safety reasons. For keeping the original properties of the product follow the recommendations given in Section 7.

### 10.5. Incompatible materials

Strong bases may provoke ammonia vapours.

### 10.6. Hazardous decomposition products

None under normal conditions. Thermal decomposition products (in case of fire) are indicated in Section 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### HIMOLOC TG60

|               |   |
|---------------|---|
| LD50 oral rat | > 7500 mg/kg Data for a representative polymer. |
|---------------|---|

#### Sodium nitrate (7631-99-4)

|                       |                 |
|-----------------------|-----------------|
| LD50 oral rat         | > 2000 mg/kg    |
| LD50 dermal rat       | > 5000 mg/kg    |
| LC50 Inhalation - Rat | > 0.527 mg/l/4h |

Skin corrosion/irritation : Rabbits (Draize test): Not irritant - Data for a very similar product.  
pH: 3 – 4.5  
Serious eye damage/irritation : Not classified  
pH: 3 – 4.5  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified

#### Sodium nitrate (7631-99-4)

|                             |              |
|-----------------------------|--------------|
| NOAEL (animal/male, F0/P)   | > 1500 mg/kg |
| NOAEL (animal/female, F0/P) | > 1500 mg/kg |

STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : No data available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : No symptoms expected if the product is properly handled, No effects whatsoever related to exposure to the product are known.  
Other information : Through our experience and according to the information available, the product is not harmful to health if handled correctly according to the recommendations given.

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

| HIMOLOC TG60         |  |
|----------------------|--|
| LC50 - Fish [1]      | 1 – 10 mg/l (Results obtained on a similar product)  |
| EC50 - Crustacea [1] | 10 – 100 mg/l (Results based on a similar product)   |
| EC50 72h - Algae [1] | Algal inhibition tests are not appropriate. The flocculating characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalides the test. |

#### Sodium nitrate (7631-99-4)

|                            |             |
|----------------------------|-------------|
| LC50 - Fish [1]            | 6000 g/l    |
| ErC50 other aquatic plants | > 1700 mg/l |

#### 12.2. Persistence and degradability

| HIMOLOC TG60                  |                         |
|-------------------------------|-------------------------|
| Persistence and degradability | Rapidly degradable      |
| Chemical oxygen demand (COD)  | 201 g O <sub>2</sub> /l |

#### Sodium nitrate (7631-99-4)

|                               |   |
|-------------------------------|---|
| Persistence and degradability | Biodegradability in water: no data available. |
|-------------------------------|---|

#### 12.3. Bioaccumulative potential

| HIMOLOC TG60   |   |
|--|---|
| Partition coefficient n-octanol/water (Log K <sub>ow</sub> ) | < 3   |
| Bioaccumulative potential                                    | This is a high molecular weight, for this reason it will not permeate the membrane cell. There will be no bio-accumulation. |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : No data available.

#### 12.7. Other adverse effects

Other adverse effects : None to mention.  
Additional information : In aqueous solution this product may be eliminated by flocculation and precipitation. It is easily removed from the aqueous media in presence of suspended matter. This product does not contain halogen organic compounds.

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Waste treatment methods : If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies. Empty containers and residual product must not be washed out with water, this would provoke an inappropriate dissolution of the product and it would increase the amount of waste to dispose. Exhaust as much as possible the product and dispose the empty container taking into account Section 13.1.
- Additional information : Keep the same recommendations provided in Sections 7 and 8 of this MSDS. Refer to Section 2 of this Safety Data Sheet.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number or ID number

- UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

- Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

##### ADR

- Transport hazard class(es) (ADR) : Not applicable

##### IMDG

- Transport hazard class(es) (IMDG) : Not applicable

##### IATA

- Transport hazard class(es) (IATA) : Not applicable

##### ADN

- Transport hazard class(es) (ADN) : Not applicable

##### RID

- Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

- Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

- Other information : No supplementary information available



# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

##### Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

| Name           | CAS-No.   | Combined Nomenclature code (CN) | Combined Nomenclature code for mixture without constituents which would determine classification under another CN code |
|----------------|-----------|---------------------------------|--|
| Sodium nitrate | 7631-99-4 | 3102 50 00                      | ex 3824 99 96  |

Please see [https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\\_en](https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives_en)

# HIMOLOC TG60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

The product should be considered a mixture. Given its classification is not necessary to perform a chemical safety assessment thereof.

## SECTION 16: Other information

| Indication of changes |                |        |          |
|-----------------------|----------------|--------|----------|
| Section               | Changed item   | Change | Comments |
| 2.2                   | EUH-statements | Added  |          |

| Abbreviations and acronyms: |   |
|-----------------------------|---|
|                             | REACH EC 1907/2006 regulation. Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.<br>CLP: Classification, Labelling and Packaging. EC Regulation 1272/2008.<br>DNEL: Derived No Effect Level.<br>PNEC: Predicted No Effect Concentration.<br>PBT: Persistent, Bioaccumulative and Toxic.<br>vPvB: very Persistent and very Bioaccumulative. |

Other information : The latest version of the MSDS of this product can be obtained through the link <https://www.derypol.com/en/technical-documentation/>.

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| EUH210                              | Safety data sheet available on request.       |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2 |
| H272                                | May intensify fire; oxidiser.                 |
| H319                                | Causes serious eye irritation.                |
| Ox. Sol. 2                          | Oxidising Solids, Category 2                  |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.