

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : HYBRIX FIX175

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Process aid industrial applications

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DERYPOL, S.A HQ:	Manufacturing:
C/Plató, n 6, Entlo, 5	C/Cal Gabatx, s/n
08021 Barcelona (Spain)	08520 Les Franqueses del Vallès (Spain)
Tel. +34 93 238 9090	Tel. +34 93 8496188
	regulatory@derypol.com

1.4. Emergency telephone number

Emergency number : +34 93 849 6188
9:00-13:00 h 15:00-17:00 h (GMT + 1)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Other hazards which do not result in classification : Spills will produce extremely slippery surfaces in case of contact with water.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Cationic acrylamide copolymer in hydrocarbon based emulsion.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2% aromatic substance with national workplace exposure limit(s) (ES); substance with a Community workplace exposure limit	EC-No.: 920-107-4 REACH-no: 01-2119453414-43	10-25	Asp. Tox. 1, H304
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5 EC-No.: 500-241-6	< 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Go to the open air and lie down on one side the affected person till he/she recovers. If difficult breathing persists get medical attention immediately.
First-aid measures after skin contact	: Remove the maximum amount of product by using absorbent paper and then rinse with plenty of water. In case of persistent irritation get medical advise.
First-aid measures after eye contact	: Rinse thoroughly with plenty of water, also under eyelids, at least for 15 minutes. Get medical assistance. It is necessary having a safety shower in the work area.
First-aid measures after ingestion	: If accidentally is swallowed obtain immediately medical attention. Keep at rest. Never induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Slight irritation of the respiratory tract.
Symptoms/effects after skin contact	: Slight irritation of the repeatedly exposed area.
Symptoms/effects after eye contact	: May include: itching, pain, redness, tears.
Symptoms/effects after ingestion	: May cause irritation of the digestive tract.
Symptoms/effects upon intravenous administration	: Likely routes of exposure: skin and eye.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water, water spray, dry powder, carbon dioxide (CO ₂), foam.
Unsuitable extinguishing media	: None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Cool the containers with sprayed water. Avoid exposure to smoke and vapour provoked by the heating or combustion of the product.
-------------	--

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous decomposition products in case of fire : Some hazardous gases can be released, mainly: carbon oxides (Cox) and nitrogen oxides (Nox). In case of combustion in a poor oxygen atmosphere some vapors of hydrochloric acid and hydrocyanic acid can be formed.

5.3. Advice for firefighters

Firefighting instructions : In case of fire: stop leak if safe to do so. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.
Other information : Spills produce extremely slippery surfaces.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not step on the spill and avoid contact with water. The affected area, in contact with water, will become extremely slippery.

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment. Keep away from people without protection. Slipping hazard if spilled load. Avoid contact with eyes and skin. Do not breathe vapors or spray mist. Personal protective equipment, see section 8.
Emergency procedures : Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

6.2. Environmental precautions

Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.

6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.

See Section 13 to have information related to waste management.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : We recommend handling the product in a well ventilated area. Ensure you have a safety shower and eye wash fountain available. Keep absorbent material as a precaution against spills.
Precautions for safe handling : Wear recommended personal protective equipment.
Handling temperature : 5 – 30 °C
Hygiene measures : Use normal personal hygiene and housekeeping measures when handling any chemical product. Do not eat, drink or smoke when using this product.

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Avoid extreme temperatures (below "Minimum temperature" and above "Maximum temperature"). Keep in a covered place, with the drum well closed and within the "Recommended temperature range". On long storage periods at low temperatures (see "Critical temperature range") the product may undergo an emulsion degradation process. If this occurs we recommend mixing the product and moving it to a warmer storage zone.
Storage conditions	: Store in a well ventilated and cool place, away from heat and frost, in closed containers in accordance with safety standards. Instruct as storage standards.
Incompatible materials	: Oxidising agents.
Storage temperature	: 0 – 35 °C

7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Natural ventilation is adequate in open areas. Provide mechanical ventilation in confined spaces.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses			EN 166

8.2.2.2. Skin protection

Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions.

Safety foot-wear

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves	Natural rubber, Polyvinylchloride (PVC), Latex, Vinyl, Nitrile rubber (NBR)				

Other skin protection

Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

8.2.2.3. Respiratory protection

Respiratory protection:

Not necessary under normal conditions and provided good general ventilation. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Gas mask	Type A - High-boiling (>65 °C) organic compounds		EN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Consumer exposure controls:

Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help. Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. Take off contaminated clothing and wash before reuse. You should always have a safety shower and eyewash in the area where the product is handled.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Whitish opaque liquid.
Appearance	: Whitish opaque liquid.
Odour	: Aliphatic odour.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: > 150 °C
pH	: Not available
Viscosity, kinematic	: > 20.5 mm ² /s (40°C)
Viscosity, dynamic	: 500 – 1200 cP
Solubility	: Water soluble. Solution concentration will be limited by its own viscosity.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Relative density	: ≈ 1.1
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

This product does not present any dangerous reactivity if used, stored and handled in accordance with this MSDS recommendations.

10.2. Chemical stability

Stable under normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Strong oxidizers may cause exothermic reactions.

10.4. Conditions to avoid

Protect from frost, heat and sunlight. Freezing temperatures.

10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases. As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.6. Hazardous decomposition products

Thermal decomposition products (in case of fire) are indicated in Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

HYBRIX FIX175	
LD50 oral rat	> 2000 mg/kg (Results obtained on a similar product)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isotridecanol, ethoxylated (69011-36-5)

LD50 oral rat	500 – 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: This product is not expected to be sensitizing.
Germ cell mutagenicity	: Not mutagenic.
Carcinogenicity	: Not carcinogenic.
Reproductive toxicity	: It is not toxic for reproduction

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

NOAEL (animal/male, F0/P)	300 mg/kg (OCDE 421)
---------------------------	----------------------

STOT-single exposure	: No known effect.
STOT-repeated exposure	: No known effect.
Aspiration hazard	: No aspiration hazard is expected in normal use.

HYBRIX FIX175

Viscosity, kinematic	> 20.5 mm ² /s (40°C)
----------------------	----------------------------------

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: No data available
--	---------------------

11.2.2. Other information

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

HYBRIX FIX175

LC50 - Fish [1]	10 – 100 mg/l (Results obtained on a similar product)
EC50 - Crustacea [1]	10 – 100 mg/l (Results obtained on a similar product)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss, OECD 203)
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna, OECD 202)
EC50 72h - Algae [1]	> 1000 mg/l (Pseudokirchneriella subcapitata, OECD 201 method)
NOEC chronic fish	> 1000 mg/l (Oncorhynchus mykiss, 28 d)
NOEC chronic crustacea	> 1000 mg/l (Daphnia magna, 21 d)
NOEC chronic algae	> 1000 mg/l (Tetrahymena pyriformis, 48 h)

Isotridecanol, ethoxylated (69011-36-5)

LC50 - Fish [1]	1 – 10 mg/l (OECD 203 method)
EC50 - Crustacea [1]	1 – 10 mg/l (OECD 202 method)
EC50 72h - Algae [1]	1 – 10 mg/l (OECD 201 method)
ErC50 algae	1 – 10 mg/l (OECD 201 method)

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isotridecanol, ethoxylated (69011-36-5)

NOEC (chronic)	> 1 mg/l (OECD 202 method)
----------------	----------------------------

12.2. Persistence and degradability

HYBRIX FIX175

Persistence and degradability	No data available.
-------------------------------	--------------------

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

Persistence and degradability	This product is not rapidly biodegradable. This product does not hydrolyse.
-------------------------------	---

Isotridecanol, ethoxylated (69011-36-5)

Persistence and degradability	Hardly biodegradable. This product does not hydrolyse.
-------------------------------	--

Biodegradation	> 60 % (OECD 301B method)
----------------	---------------------------

12.3. Bioaccumulative potential

HYBRIX FIX175

Bioaccumulative potential	The product is not expected to bioaccumulate.
---------------------------	---

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

Partition coefficient n-octanol/water (Log Pow)	3 – 6
---	-------

Isotridecanol, ethoxylated (69011-36-5)

Partition coefficient n-octanol/water (Log Pow)	> 3
---	-----

12.4. Mobility in soil

HYBRIX FIX175

Ecology - soil	No information available.
----------------	---------------------------

Isotridecanol, ethoxylated (69011-36-5)

Partition coefficient n-octanol/water (Log Koc)	> 5000
---	--------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : No data available

Other adverse effects : None to mention.

12.7. Other adverse effects

Other adverse effects : None to mention.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Keep the same recommendations provided in Sections 7 and 8 of this MSDS. If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies.

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

HYBRIX FIX175

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list $\geq 0,1\%$ / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information : The latest version of the MSDS of this product can be obtained through the link <https://www.derypol.com/en/technical-documentation/>.

Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Eye Irrit. 2	H319	Calculation method
--------------	------	--------------------

Safety Data Sheet applicable for regions : GB

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.