

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : HYBRIX FIX9535

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Process aid industrial applications

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

| | |
|-------------------------|---|
| DERYPOL, S.A HQ: | Manufacturing: |
| C/Plató, n 6, Entlo, 5 | C/Cal Gabatx, s/n |
| 08021 Barcelona (Spain) | 08520 Les Franqueses del Vallès (Spain) |
| Tel. +34 93 238 9090 | Tel. +34 93 8496188 |
| | regulatory@derypol.com |

1.4. Emergency telephone number

Emergency number : +34 93 849 6188
9:00-13:00 h 15:00-17:00 h (GMT + 1)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Other hazards which do not result in classification : Spills will produce extremely slippery surfaces in case of contact with water.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Cationic acrylamide copolymer in hydrocarbon based emulsion.

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------|---|
| Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2% aromatic substance with national workplace exposure limit(s) (ES); substance with a Community workplace exposure limit | EC-No.: 920-107-4 REACH-no: 01-2119453414-43 | 10-25 | Asp. Tox. 1, H304 |
| Isotridecanol, ethoxylated | CAS-No.: 69011-36-5 | < 3 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Go to the open air and lie down on one side the affected person till he/she recovers. If difficult breathing persists get medical attention immediately.

First-aid measures after skin contact : Remove the maximum amount of product by using absorbent paper and then rinse with plenty of water. In case of persistent irritation get medical advise.

First-aid measures after eye contact : Rinse thoroughly with plenty of water, also under eyelids, at least for 15 minutes. Get medical assistance. It is necessary having a safety shower in the work area.

First-aid measures after ingestion : If accidentally is swallowed obtain immediately medical attention. Keep at rest. Never induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Slight irritation of the respiratory tract.

Symptoms/effects after skin contact : Slight irritation of the repeatedly exposed area.

Symptoms/effects after eye contact : May include: itching, pain, redness, tears.

Symptoms/effects after ingestion : May cause irritation of the digestive tract.

Symptoms/effects upon intravenous administration : Likely routes of exposure: skin and eye.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water, water spray, dry powder, carbon dioxide (CO₂), foam.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Cool the containers with sprayed water. Avoid exposure to smoke and vapour provoked by the heating or combustion of the product.

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous decomposition products in case of fire : Some hazardous gases can be released, mainly: carbon oxides (Cox) and nitrogen oxides (Nox). In case of combustion in a poor oxygen atmosphere some vapors of hydrochloric acid and hydrocyanic acid can be formed.

5.3. Advice for firefighters

Firefighting instructions : In case of fire: stop leak if safe to do so. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.
Other information : Spills produce extremely slippery surfaces.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not step on the spill and avoid contact with water. The affected area, in contact with water, will become extremely slippery.

6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment. Keep away from people without protection. Slipping hazard if spilled load. Avoid contact with eyes and skin. Do not breathe vapors or spray mist. Personal protective equipment, see section 8.
Emergency procedures : Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

6.2. Environmental precautions

Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.

6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.

See Section 13 to have information related to waste management.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : We recommend handling the product in a well ventilated area. Ensure you have a safety shower and eye wash fountain available. Keep absorbent material as a precaution against spills.
Precautions for safe handling : Wear recommended personal protective equipment.
Handling temperature : 5 – 30 °C
Hygiene measures : Use normal personal hygiene and housekeeping measures when handling any chemical product. Do not eat, drink or smoke when using this product.

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

| | |
|------------------------|---|
| Technical measures | : Avoid extreme temperatures (below "Minimum temperature" and above "Maximum temperature"). Keep in a covered place, with the drum well closed and within the "Recommended temperature range". On long storage periods at low temperatures (see "Critical temperature range") the product may undergo an emulsion degradation process. If this occurs we recommend mixing the product and moving it to a warmer storage zone. |
| Storage conditions | : Store in a well ventilated and cool place, away from heat and frost, in closed containers in accordance with safety standards. Instruct as storage standards. |
| Incompatible materials | : Oxidising agents. |
| Storage temperature | : 0 – 35 °C |

7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

| Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic | |
|--|------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 1200 mg/m ³ |
| Spain - Occupational Exposure Limits | |
| VLA-ED (OEL TWA) [1] | 200 mg/m ³ |
| VLA-EC (OEL STEL) | 10 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Natural ventilation is adequate in open areas. Provide mechanical ventilation in confined spaces.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Type | Field of application | Characteristics | Standard |
| Safety glasses | | | EN 166 |

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions.
Safety foot-wear

| Hand protection | | | | | |
|-------------------|--|------------|----------------|-------------|----------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Protective gloves | Natural rubber, Polyvinylchloride (PVC), Latex, Vinyl, Nitrile rubber (NBR) | | | | |

Other skin protection

Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

8.2.2.3. Respiratory protection

Respiratory protection:

Not necessary under normal conditions and provided good general ventilation. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

| Respiratory protection | | | |
|------------------------|---|-----------|----------|
| Device | Filter type | Condition | Standard |
| Gas mask | Type A - High-boiling (>65 °C) organic compounds | | EN 14387 |

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Consumer exposure controls:

Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help. Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. Take off contaminated clothing and wash before reuse. You should always have a safety shower and eyewash in the area where the product is handled.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------------------|------------------------------------|
| Physical state | : Liquid |
| Colour | : Whitish opaque liquid. |
| Odour | : Aliphatic odour. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not available |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : > 100 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : > 150 °C |
| pH | : Not available |
| Viscosity, kinematic | : > 20.5 mm ² /s (40°C) |
| Viscosity, dynamic | : < 3500 cP |

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---|---|
| Solubility | : Water soluble. Solution concentration will be limited by its own viscosity. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : ≈ 1.1 g/cm ³ |
| Relative density | : Not available |
| Relative vapour density at 20 °C | : Not available |
| Particle size | : Not applicable |
| Particle size distribution | : Not applicable |
| Particle shape | : Not applicable |
| Particle aspect ratio | : Not applicable |
| Particle aggregation state | : Not applicable |
| Particle agglomeration state | : Not applicable |
| Particle specific surface area | : Not applicable |
| Particle dustiness | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

This product does not present any dangerous reactivity if used, stored and handled in accordance with this MSDS recommendations.

10.2. Chemical stability

Stable under normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Strong oxidizers may cause exothermic reactions.

10.4. Conditions to avoid

Protect from frost, heat and sunlight. Freezing temperatures.

10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases. As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.6. Hazardous decomposition products

Thermal decomposition products (in case of fire) are indicated in Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

HYBRIX FIX9535

| | |
|---------------|--|
| LD50 oral rat | > 2000 mg/kg (Results obtained on a similar product) |
|---------------|--|

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

| | |
|---------------|--------------|
| LD50 oral rat | > 2000 mg/kg |
|---------------|--------------|

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

| | |
|-----------------------|--------------|
| LD50 dermal rat | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 20 mg/l |

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : This product is not expected to be sensitizing. |
| Germ cell mutagenicity | : Not mutagenic. |
| Carcinogenicity | : Not carcinogenic. |
| Reproductive toxicity | : It is not toxic for reproduction |

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

| | |
|---------------------------|----------------------|
| NOAEL (animal/male, F0/P) | 300 mg/kg (OCDE 421) |
|---------------------------|----------------------|

| | |
|------------------------|---|
| STOT-single exposure | : No known effect. |
| STOT-repeated exposure | : No known effect. |
| Aspiration hazard | : No aspiration hazard is expected in normal use. |

HYBRIX FIX9535

| | |
|----------------------|----------------------------------|
| Viscosity, kinematic | > 20.5 mm ² /s (40°C) |
|----------------------|----------------------------------|

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

| | |
|--|---------------------|
| Adverse health effects caused by endocrine disrupting properties | : No data available |
|--|---------------------|

11.2.2. Other information

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|------------------|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

HYBRIX FIX9535

| | |
|----------------------|---|
| LC50 - Fish [1] | 10 – 100 mg/l (Results obtained on a similar product) |
| EC50 - Crustacea [1] | 10 – 100 mg/l (Results obtained on a similar product) |

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

| | |
|------------------------|--|
| LC50 - Fish [1] | > 1000 mg/l (Oncorhynchus mykiss, OECD 203) |
| EC50 - Crustacea [1] | > 1000 mg/l (Daphnia magna, OECD 202) |
| EC50 72h - Algae [1] | > 1000 mg/l (Pseudokirchneriella subcapitata, OECD 201 method) |
| NOEC chronic fish | > 1000 mg/l (Oncorhynchus mykiss, 28 d) |
| NOEC chronic crustacea | > 1000 mg/l (Daphnia magna, 21 d) |
| NOEC chronic algae | > 1000 mg/l (Tetrahymena pyriformis, 48 h) |

12.2. Persistence and degradability

HYBRIX FIX9535

| | |
|-------------------------------|--------------------|
| Persistence and degradability | No data available. |
|-------------------------------|--------------------|

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

| | |
|-------------------------------|---|
| Persistence and degradability | This product is not rapidly biodegradable. This product does not hydrolyse. |
|-------------------------------|---|

12.3. Bioaccumulative potential

HYBRIX FIX9535

| | |
|---------------------------|---|
| Bioaccumulative potential | The product is not expected to bioaccumulate. |
|---------------------------|---|

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

| | |
|---|-------|
| Partition coefficient n-octanol/water (Log Pow) | 3 – 6 |
|---|-------|

12.4. Mobility in soil

HYBRIX FIX9535

| | |
|----------------|---------------------------|
| Ecology - soil | No information available. |
|----------------|---------------------------|

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : No data available

12.7. Other adverse effects

Other adverse effects : None to mention.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Keep the same recommendations provided in Sections 7 and 8 of this MSDS. If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

| | |
|---------------|------------------|
| UN-No. (ADR) | : Not applicable |
| UN-No. (IMDG) | : Not applicable |
| UN-No. (IATA) | : Not applicable |
| UN-No. (ADN) | : Not applicable |
| UN-No. (RID) | : Not applicable |

14.2. UN proper shipping name

| | |
|-----------------------------|------------------|
| Proper Shipping Name (ADR) | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN) | : Not applicable |
| Proper Shipping Name (RID) | : Not applicable |

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list $\geq 0,1$ % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

HYBRIX FIX9535

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1.2. National regulations

Germany

Water hazard class (WGK) : Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|---------------|----------|----------|
| Section | Changed item | Change | Comments |
| | Supersedes | Modified | |
| | Revision date | Modified | |
| | Issue date | Modified | |
| 1.1 | Trade name | Modified | |

Other information : The latest version of the MSDS of this product can be obtained through the link <https://www.derypol.com/en/technical-documentation/>.

| Full text of H- and EUH-statements | |
|------------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP] | | |
|--|------|--------------------|
| Eye Irrit. 2 | H319 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.