

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : HYFLOC FIC9900

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Process aid industrial applications

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

DERYPOL, S.A HQ:	Manufacturing:
C/Plató, n 6, Entlo, 5	C/Cal Gabatx, s/n
08021 Barcelona (Spain)	08520 Les Franqueses del Vallès (Spain)
Tel. +34 93 238 9090	Tel. +34 93 8496188
	regulatory@derypol.com

#### 1.4. Emergency telephone number

Emergency number : +34 93 849 6188  
9:00-13:00 h 15:00-17:00 h (GMT + 1)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

#### 2.3. Other hazards

Other hazards which do not result in classification : Spills will produce extremely slippery surfaces in case of contact with water.

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Cationic acrylamide copolymer in hydrocarbon based emulsion.

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic substance with national workplace exposure limit(s) (ES); substance with a Community workplace exposure limit	EC-No.: 920-107-4 REACH-no: 01-2119453414-43	15 – 50	Asp. Tox. 1, H304
Isotridecanol, ethoxylated	CAS-No.: 69011-36-5	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Go to the open air and lie down on one side the affected person till he/she recovers. If difficult breathing persists get medical attention immediately.
First-aid measures after skin contact	: Remove the maximum amount of product by using absorbent paper and then rinse with plenty of water. In case of persistent irritation get medical advise.
First-aid measures after eye contact	: Rinse thoroughly with plenty of water, also under eyelids, at least for 15 minutes. Get medical assistance. It is necessary having a safety shower in the work area.
First-aid measures after ingestion	: If accidentally is swallowed obtain immediately medical attention. Keep at rest. Never induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Slight irritation of the respiratory tract.
Symptoms/effects after skin contact	: Slight irritation of the repeatedly exposed area.
Symptoms/effects after eye contact	: May include: itching, pain, redness, tears.
Symptoms/effects after ingestion	: May cause irritation of the digestive tract.
Symptoms/effects upon intravenous administration	: Likely routes of exposure: skin and eye.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water, water spray, dry powder, carbon dioxide (CO <sub>2</sub> ), foam.
Unsuitable extinguishing media	: None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Cool the containers with sprayed water. Avoid exposure to smoke and vapour provoked by the heating or combustion of the product.
Hazardous decomposition products in case of fire	: Some hazardous gases can be released, mainly: carbon oxides (Cox) and nitrogen oxides (Nox). In case of combustion in a poor oxygen atmosphere some vapors of hydrochloric acid and hydrocyanic acid can be formed.

### 5.3. Advice for firefighters

Firefighting instructions	: In case of fire: stop leak if safe to do so. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Spills produce extremely slippery surfaces.

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not step on the spill and avoid contact with water. The affected area, in contact with water, will become extremely slippery.
- 6.1.1. For non-emergency personnel**
- Protective equipment : Use personal protective equipment. Keep away from people without protection. Slipping hazard if spilled load. Avoid contact with eyes and skin. Do not breathe vapors or spray mist. Personal protective equipment, see section 8.
- Emergency procedures : Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available.
- 6.1.2. For emergency responders**
- Protective equipment : Wear recommended personal protective equipment.

#### 6.2. Environmental precautions

Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.

#### 6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.  
See Section 13 to have information related to waste management.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : We recommend handling the product in a well ventilated area. Ensure you have a safety shower and eye wash fountain available. Keep absorbent material as a precaution against spills.
- Precautions for safe handling : Wear recommended personal protective equipment.
- Handling temperature : 5 – 30 °C
- Hygiene measures : Use normal personal hygiene and housekeeping measures when handling any chemical product. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Avoid extreme temperatures (below "Minimum temperature" and above "Maximum temperature"). Keep in a covered place, with the drum well closed and within the "Recommended temperature range". On long storage periods at low temperatures (see "Critical temperature range") the product may undergo an emulsion degradation process. If this occurs we recommend mixing the product and moving it to a warmer storage zone.
- Storage conditions : Store in a well ventilated and cool place, away from heat and frost, in closed containers in accordance with safety standards. Instruct as storage standards.
- Incompatible materials : Oxidising agents.
- Storage temperature : 0 – 35 °C
- Heat and ignition sources : Keep away from ignition sources. Protect from freezing.

#### 7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	1200 mg/m <sup>3</sup>

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

HYFLOC FIC9900	
DNEL/DMEL (additional information)	
Additional information	No information available
PNEC (additional information)	
Additional information	No information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

Natural ventilation is adequate in open areas. Provide mechanical ventilation in confined spaces.

##### 8.2.2. Personal protection equipment

###### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses with side-shields

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses			EN 166

###### 8.2.2.2. Skin protection

###### Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions.

Safety foot-wear

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves	Natural rubber, Polyvinylchloride (PVC), Latex, Vinyl, Nitrile rubber (NBR)				

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Other skin protection

#### Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Not necessary under normal conditions and provided good general ventilation. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Gas mask	Type A - High-boiling (>65 °C) organic compounds		EN 14387

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Consumer exposure controls:

Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help. Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. Take off contaminated clothing and wash before reuse. You should always have a safety shower and eyewash in the area where the product is handled.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Whitish opaque liquid.
Odour	: Aliphatic odour.
Odour threshold	: Not available
Melting point	: < 5 °C
Freezing point	: Not available
Boiling point	: > 100 °C
Flammability	: Not applicable
Explosive properties	: None expected.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: The product is not easily ignited
Auto-ignition temperature	: Not available
Decomposition temperature	: > 150 °C
pH	: Not applicable
Viscosity, kinematic	: > 20.5 mm <sup>2</sup> /s (40°C)
Viscosity, dynamic	: 350 – 2000 cP
Solubility	: Water soluble. Solution concentration will be limited by its own viscosity.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 2.3 kPa (20 °C)
Vapour pressure at 50°C	: Not available
Density	: 1 – 1.2 g/m <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: 0.804 (20 °C)
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This product does not present any dangerous reactivity if used, stored and handled in accordance with this MSDS recommendations.

### 10.2. Chemical stability

Stable under normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

Strong oxidizers may cause exothermic reactions.

### 10.4. Conditions to avoid

Protect from frost, heat and sunlight. Freezing temperatures.

### 10.5. Incompatible materials

Strong oxidizers. Strong acids. Strong bases. As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

### 10.6. Hazardous decomposition products

Thermal decomposition products (in case of fire) are indicated in Section 5.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : The product is not expected to be toxic by inhalation.

HYFLOC FIC9900	
LD50 oral rat	> 5000 mg/kg (estimated value)
LD50 dermal rat	> 5000 mg/kg (estimated value)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l

Skin corrosion/irritation : Not irritating to skin  
pH: Not applicable  
Serious eye damage/irritation : Not irritant. (OECD 437 method)  
pH: Not applicable  
Respiratory or skin sensitisation : This product is not expected to be sensitizing.  
Germ cell mutagenicity : Not mutagenic.  
Carcinogenicity : Not carcinogenic.  
Reproductive toxicity : It is not toxic for reproduction

Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic	
NOAEL (animal/male, F0/P)	300 mg/kg (OCDE 421)

STOT-single exposure : No known effect.  
STOT-repeated exposure : No known effect.  
Aspiration hazard : No aspiration hazard is expected in normal use.

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HYFLOC FIC9900	
Viscosity, kinematic	> 20.5 mm <sup>2</sup> /s (40°C)
Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic	
Viscosity, kinematic	2.3 mm <sup>2</sup> /s (40 °C)

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : No data available

#### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : No data available.

HYFLOC FIC9900	
LC50 - Fish [1]	10 – 100 mg/l (estimated value)
EC50 - Crustacea [1]	10 – 100 mg/l (estimated value)
EC50 72h - Algae [1]	Algal inhibition tests are not appropriate. The flocculating characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalides the test.

### Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss, OECD 203)
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna, OECD 202)
EC50 72h - Algae [1]	> 1000 mg/l (Pseudokirchneriella subcapitata, OECD 201 method)
NOEC chronic fish	> 1000 mg/l (Oncorhynchus mykiss, 28 d)
NOEC chronic crustacea	> 1000 mg/l (Daphnia magna, 21 d)
NOEC chronic algae	> 1000 mg/l (Tetrahymena pyriformis, 48 h)

### 12.2. Persistence and degradability

HYFLOC FIC9900	
Persistence and degradability	Abiotic degradation: Hydrolysis > 70% (28 days, pH 6-8). The products of hydrolysis are not harmful to aquatic organisms.
Isotridecanol, ethoxylated (69011-36-5)	
Persistence and degradability	Rapidly degradable
Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic	
Persistence and degradability	This product is not rapidly biodegradable., This product does not hydrolyse..

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

#### HYFLOC FIC9900

Bioaccumulative potential	The product is not expected to bioaccumulate.
---------------------------	---

#### Hydrocarbons, C12-C15, n-alkanes, isoalkanes <2%. aromatic

Partition coefficient n-octanol/water (Log Pow)	3 – 6
---	-------

### 12.4. Mobility in soil

#### HYFLOC FIC9900

Ecology - soil	No information available.
----------------	---------------------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : No data available.

### 12.7. Other adverse effects

Other adverse effects : None to mention.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Keep the same recommendations provided in Sections 7 and 8 of this MSDS. If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable



# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### IATA

Transport hazard class(es) (IATA) : Not applicable

### ADN

Transport hazard class(es) (ADN) : Not applicable

### RID

Transport hazard class(es) (RID) : Not applicable

## 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

### Inland waterway transport

Not applicable

### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# HYFLOC FIC9900

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Issue date	Modified	
	Revision date	Modified	
	Supersedes	Modified	
7.1	Hygiene measures	Modified	
7.1	Precautions for safe handling	Added	
7.2	Heat and ignition sources	Modified	
9.1	Melting point	Modified	
9.1	pH	Added	
9.1	Relative vapour density at 20°C	Added	
9.1	Flammability (solid, gas)	Added	
10.3	Possibility of hazardous reactions	Modified	
10.4	Conditions to avoid	Modified	
10.5	Incompatible materials	Modified	

Other information

: The latest version of the MSDS of this product can be obtained through the link <https://www.derypol.com/en/technical-documentation/>.

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.