

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Hygel LE766

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Process aid industrial applications

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DERYPOL, S.A HQ:	Manufacturing:
C/Plató, n 6, Entlo, 5	C/Cal Gabatx, s/n
08021 Barcelona (Spain)	08520 Les Franqueses del Vallès (Spain)
Tel. +34 93 238 9090	Tel. +34 93 8496188
	regulatory@derypol.com

1.4. Emergency telephone number

Emergency number : +34 93 849 6188
9:00-13:00 h 15:00-17:00 h (GMT + 1)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards which do not result in classification : Spills will produce extremely slippery surfaces in case of contact with water. Full text of H-statements: see section 16.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component

C11-C14 ethoxylated isoalcohols, rich in C13(78330-21-9)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
--	--

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Anionic acrylic copolymer dispersed in medicinal grade white oil

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C11-C14 ethoxylated isoalcohols, rich in C13	CAS-No.: 78330-21-9 EC-No.: Polymer REACH-no: No applicable (Polímero)	<6	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Isoalkanes, C11-15	EC-No.: 920-901-0 REACH-no: 01-2119456810-40	< 3	Asp. Tox. 1, H304

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Do not perform any action that poses a risk if proper training is not held. Use the personal protective equipment necessary in the circumstances prevailing in the place of intervention.

First-aid measures after inhalation : Go to the open air. In case of persistent trouble get medical attention and provide this Material Safety Data Sheet to your physician.

First-aid measures after skin contact : Rinse the skin affected with plenty of water. Then wash it again with water and soap. In case of irritation, if it persists, get medical advice.

First-aid measures after eye contact : Rinse thoroughly with plenty of water, also under eyelids, at least for 15 minutes. Get medical assistance. It is necessary having a safety shower in the work area.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : No acute effects are expected, except for an allergic reaction to any of the individual product ingredients.

Symptoms/effects after skin contact : Slight irritation of the repeatedly exposed area.

Symptoms/effects after eye contact : May include: itching, pain, redness, tears.

Symptoms/effects after ingestion : May cause irritation of the digestive tract.

Symptoms/effects upon intravenous administration : Likely routes of exposure: skin and eye.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water. Water spray, dry powder, carbon dioxide (CO₂), foam.

Unsuitable extinguishing media : None.

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Some hazardous gases can be released, mainly: carbon oxides (Cox) and nitrogen oxides (Nox). In case of combustion in a poor oxygen atmosphere some vapors of hydrochloric acid and hydrocyanic acid can be formed.

5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Fight fire from safe distance and protected location. Prevent fire fighting water from entering the environment.
Protection during firefighting : Self-contained breathing apparatus.
Other information : Spills produce extremely slippery surfaces.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Do not step on the spill and avoid contact with water. The affected area, in contact with water, will become extremely slippery.

6.1.2. For emergency responders

Protective equipment : Avoid eyes and skin contact; use personal protective equipment.

6.2. Environmental precautions

Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up with a shovel and then with a brush and dustpan, avoid any rest of the product to remain in the spill area. Finally flush with pressured water and check the cleaning operation efficiency, otherwise the affected area will become extremely slippery.

6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.

See Section 13 to have information related to waste management.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : We recommend handling the product in a well ventilated area. . Handle product in areas with suitable conditions and equipment. Foresee the possibility of a spill and take preventive measures, including: having absorbent material nearby, establish working conditions (racking circuit arrangement, valve position, clearwork area, etc..) to avoid that, in case of spillage, contamination of collectors, water courses or soil occurs. Use normal personal hygiene and housekeeping measures when handling any chemical product.
Handling temperature : 5 – 30 °C

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well ventilated and cool place, away from heat and frost, in closed containers in accordance with safety standards. Instruct as storage standards. Keep in a covered place with the drum well closed and within the recommended temperature range. Avoid extreme temperatures on long storage periods, especially at low temperatures, the product may undergo an emulsion degradation process. If this occurs we recommend mixing the product and moving it to a warmer storage zone.
Incompatible materials : Store away from oxidants. As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.
Storage temperature : 0 – 35 °C

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Natural ventilation is adequate under normal handling conditions. Use local exhaust systems in case of mists and/or aerosols.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields

8.2.2.2. Skin protection

Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions

Hand protection:

Protective gloves made of PVC

Other skin protection

Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

8.2.2.3. Respiratory protection

Respiratory protection:

Not necessary under normal conditions and provided good general ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid spills that contaminate the underground, surface water streams and sewer system.

Consumer exposure controls:

Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. Take off contaminated clothing and wash before reuse.

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information:

You should always have a safety shower and eyewash in the area where the product is handled. Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Appearance	: White liquid.
Odour	: Aliphatic odour.
Odour threshold	: Not available
Melting point	: < 5 °C
Freezing point	: Not available
Boiling point	: > 100 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: > 150 °C
pH	: 5 – 7 (5 g/L water solution)
Viscosity, kinematic	: > 20.5 mm ² /s (40 °C)
Viscosity, dynamic	: 400 – 2000 cP
Solubility	: Water soluble. Product solubility limit depend on dissolution conditions (concentration, pH, temperature, preparation system - agitation).
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 2.3 kPa (20 °C)
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1 – 1.2
Relative vapour density at 20 °C	: 0.804
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

This product does not present any dangerous reactivity if used, stored and handled in accordance with this MSDS recommendations.

10.2. Chemical stability

Stable under normal handling and storage conditions.

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reaction known.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Oxidizing agent. As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.6. Hazardous decomposition products

Thermal decomposition products (in case of fire) are indicated in Section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hygel LE766

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat	The product is not expected to be toxic by inhalation.

Isoalkanes, C11-15

LD50 oral	> 5000 mg/kg (OCDE 401)
LD50 dermal rabbit	> 5000 mg/kg (OCDE 402)
LC50 Inhalation - Rat (Vapours)	> 5000 mg/l/4h (OCDE 403)

C11-C14 ethoxylated isoalcohols, rich in C13 (78330-21-9)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation : Although the product is not classified as irritant we note that prolonged contact may cause mild irritation.
pH: 5 – 7 (5 g/L water solution)

Serious eye damage/irritation : Not irritant. (OECD 437 method)
pH: 5 – 7 (5 g/L water solution)

Respiratory or skin sensitisation : This product is not expected to be sensitizing.

Germ cell mutagenicity : Not mutagenic.

Carcinogenicity : Not carcinogenic.

Reproductive toxicity : It is not toxic for reproduction

STOT-single exposure : No known effect.

STOT-repeated exposure : No data available.

Aspiration hazard : Due to its viscosity, this product does not represent any danger when aspired.

Hygel LE766

Viscosity, kinematic	> 20.5 mm ² /s (40 °C)
----------------------	-----------------------------------

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2. Other information

Potential adverse human health effects and symptoms	: No symptoms expected if the product is properly handled, No effects whatsoever related to exposure to the product are known, The most likely routes of exposure are skin and/or eye contact. Prolonged eye contact may cause temporary irritation. Flush eyes immediately. Follow the safety recommendations of paragraph 4.
Other information	: No additional hazard is expected owing to the blend of the constituent ingredients of this product, Through our experience and according to the information available, the product is not harmful to health if handled correctly according to the recommendations given.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: No data available.

Hygel LE766

LC50 - Fish [1]	> 100 mg/l (Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l

Isoalkanes, C11-15

LC50 - Fish [1]	> 1000 mg/l Data from similar product
EC50 - Crustacea [1]	> 1000 mg/l Data from similar product
EC50 72h - Algae [1]	1000 mg/l Data from similar product

C11-C14 ethoxylated isoalcohols, rich in C13 (78330-21-9)

LC50 - Fish [1]	1 – 10 mg/l (estimated value)
EC50 - Crustacea [1]	1 – 10 mg/l (estimated value)
EC50 72h - Algae [1]	1 – 10 mg/l (estimated value)

12.2. Persistence and degradability

Hygel LE766

Persistence and degradability	This product is not rapidly biodegradable. This product does not hydrolyse.
-------------------------------	---

Isoalkanes, C11-15

Biodegradation	31.5 % (28 d, OECD 301F)
----------------	--------------------------

C11-C14 ethoxylated isoalcohols, rich in C13 (78330-21-9)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 70 % (28 d, OECD 301E)

12.3. Bioaccumulative potential

Hygel LE766

Bioaccumulative potential	The product is not expected to bioaccumulate.
---------------------------	---

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil

Hygel LE766

Ecology - soil

No information available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : Do not allow product to pass into sewers or waterways. Avoid penetration in ground. Evitar the solvent emission into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies. Empty containers and residual product must not be washed out with water, this would provoke an inappropriate dissolution of the product and it would increase the amount of waste to dispose. Exhaust as much as possible the product and dispose the empty container taking into account Section 13.1.

Additional information : Keep the same recommendations provided in Sections 7 and 8 of this MSDS. Furthermore, the user must consider the possible national/local regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

Hygel LE766

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

Done.

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	SDS EU format	Added	
	Issue date	Modified	
	Supersedes	Modified	
	Revision date	Modified	
16	Other information	Added	

Other information : The latest version of the MSDS of this product can be obtained through the link <https://www.derypol.com/en/technical-documentation/>.

Full text of H- and EUH-statements	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

Safety Data Sheet applicable for regions : DK;ES;FI;FR;IT;NL;PL;PT;GB;RU;SE

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.