

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : RS19

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Process aid industrial applications

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DERYPOL, S.A HQ:	Manufacturing:
C/Plató, n 6, Entlo, 5	C/Cal Gabatx, s/n
08021 Barcelona (Spain)	08520 Les Franqueses del Vallès (Spain)
Tel. +34 93 238 9090	Tel. +34 93 8496188
	regulatory@derypol.com

1.4. Emergency telephone number

Emergency number : +34 93 849 6188
 9:00-13:00 h 15:00-17:00 h (GMT + 1)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
 Contains : reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)
 Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

2.3. Other hazards

Other hazards which do not result in classification : Spills will produce extremely slippery surfaces in case of contact with water.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
Amphoteric polymer (Polymer)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)(55965-84-9)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Amphoteric polymer in aqueous solution

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amphoteric polymer	CAS-No.: Polymer EC-No.: Polymer	10 – 25	Aquatic Chronic 2, H411
Oxalic acid substance with national workplace exposure limit(s) (ES); substance with a Community workplace exposure limit	CAS-No.: 144-62-7 EC-No.: 205-634-3	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	<0,1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits

Name	Product identifier	Specific concentration limits
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0.0015 ≤C < 100) Skin Sens. 1, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C < 100) Skin Corr. 1B, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Beware of possible existing spills of product. See previously the Safety Data Sheet and act accordingly.

First-aid measures after inhalation : In case of trouble go to the open air.

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact	: Take off contaminated clothes, wash skin with plenty of water or have a shower (during minimum 15 minutes) and if necessary take medical advice. Wash clothing before re-using. Discard contaminated leather articles.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum).
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: None expected.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: It causes itching and redness.
Symptoms/effects after ingestion	: Gastrointestinal discomfort. Repeated ingestion of the product is considered highly unlikely route of exposure if working in adequate sanitary and hygiene conditions.
Symptoms/effects upon intravenous administration	: Likely routes of exposure: skin and eye.
Chronic symptoms	: None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Any ingredient in significant proportion according to the criteria laid down in Regulation 1272/2008 is mentioned in paragraph 3.2 of this Safety Data Sheet. Get medical attention urgently.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water. water spray, powder, foam (carbon dioxide (CO ₂)).
Unsuitable extinguishing media	: None.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: In case of fire can generate hazardous decomposition products such as carbon monoxide and dioxide, fume and oxides of nitrogen.

5.3. Advice for firefighters

Precautionary measures fire	: Stop leak if safe to do so.
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Do not step on the spill and avoid contact with water. The affected area, in contact with water, will become extremely slippery. Restrict access to area as appropriate until clean-up operations are complete. Use personal protective equipment recommended in Section 8 (Exposure Controls/Personal Protection). Stop or reduce any leaks if it is safe to do so. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Do not touch spilled material. Have emergency equipment (for fires, spills, leaks, etc.) readily available.
----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment. Keep away from people without protection. Slipping hazard if spilled load. Avoid contact with eyes and skin. Do not breathe vapors or spray mist. Personal protective equipment, see section 8.
----------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid the ground to be contaminated, natural water courses and wastewater drainage. If contamination occurs inform the corresponding authorities immediately.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : For small spills use inert absorbent materials and remove with a shovel; then flush the affected area with pressured water. For large spills contain them with absorbent material and pump out the product to adequate containers; then flush the affected area with pressured water.

6.4. Reference to other sections

See Section 8 to have information related to most appropriate personal protection equipment.

See Section 13 to have information related to waste management.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : We recommend handling the product in a well ventilated area. Ensure you have a safety shower and eye wash fountain available. Keep absorbent material as a precaution against spills. Use normal personal hygiene and housekeeping measures when handling any chemical product.

Handling temperature : 5 – 35 °C

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep in a covered place with the drum well closed and within the recommended temperature range. Avoid extreme temperatures on long storage periods, especially at low temperatures, the product may undergo an emulsion degradation process. If this occurs we recommend mixing the product and moving it to a warmer storage zone.

Incompatible materials : As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

Storage temperature : 0 – 30 °C

Heat and ignition sources : Store in cool, well-ventilated places. Keep containers tightly closed. Protect from exposure to sun. Keep the product away from incompatible materials and heat sources.

7.3. Specific end use(s)

For all the expected uses of the product the indications given above are considered appropriate.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	CMI/MIT 0.076/1.5
IOEL STEL	CMI/MIT 0.23/4.5

Oxalic acid (144-62-7)

EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	1 mg/m ³
----------	---------------------

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Oxalic acid (144-62-7)

Spain - Occupational Exposure Limits

VLA-ED (OEL TWA) [1]	1 mg/m ³
----------------------	---------------------

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Natural ventilation is adequate in open areas. Provide mechanical ventilation in confined spaces.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields

8.2.2.2. Skin protection

Skin and body protection:

Use a chemical resistant apron or full protective equipment depending on the handling level and contact risks with the product and its dissolutions

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Other skin protection

Materials for protective clothing:

Use your standard work clothes. In case of long contact with the product and risk of splash of its dissolutions use full waterproof suit

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection

Device	Filter type	Condition	Standard
Full face mask	ABEK-P3	If conc. in air > exposure limit	EN 140, EN 137, EN 143, EN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid spills that contaminate the underground, surface water streams and sewer system.

Consumer exposure controls:

Be aware of your exposure to products used in your workplace and act responsibly to avoid contaminating other areas. Try to develop good health habits, check with your company responsible for help. Wash your hands and anybody area that has resulted exposed to the product before drinking, eating, using the services and end of the work period. You should always have a safety shower and eyewash in the area where the product is handled.

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Appearance	: Viscous liquid, clear - slightly translucent.
Odour	: Salty odor.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: > 100 °C
Flammability	: Not applicable. Water-based product, free of organic solvents.
Explosive properties	: Not applicable. Water-based product, free of organic solvents.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not applicable. Water-based product, free of organic solvents.
Auto-ignition temperature	: Not applicable. Water-based product, free of organic solvents.
Decomposition temperature	: Not available
pH	: 3 – 5
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 5000 – 15000 cP
Solubility	: Completely soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1.09 – 1.12 g/cm ³
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has no hazardous reactivity beyond that specified in paragraph 10.5. However there may be a risk of water contamination of the product during handling and use. Water or water-based products, will dissolve partially and imperfectly the product, and may cause it to be very difficult to use in the application (gel formation, clogged pipes and pumps). As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.2. Chemical stability

Stable under normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known.

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

None for safety reasons. For keeping the original properties of the product follow the recommendations given in Section 7.

10.5. Incompatible materials

As a general rule we recommend avoiding the contact with strong chemical reagents, such as acids, bases, reductors and oxidizers.

10.6. Hazardous decomposition products

In case of fire can generate hazardous decomposition products such as carbon monoxide and dioxide, fume and oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Oxalic acid (144-62-7)

LD50 oral rat	7500 mg/kg
Skin corrosion/irritation	: No data available. pH: 3 – 5
Serious eye damage/irritation	: No data available. pH: 3 – 5
Respiratory or skin sensitisation	: No data available.
Germ cell mutagenicity	: No data available.
Carcinogenicity	: No data available.
Reproductive toxicity	: No data available.
STOT-single exposure	: No data available.
STOT-repeated exposure	: No data available.
Aspiration hazard	: No aspiration hazard is expected in normal use.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : No data available

11.2.2. Other information

Potential adverse human health effects and symptoms : No symptoms expected if the product is properly handled, No effects whatsoever related to exposure to the product are known.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : No data available.
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Oxalic acid (144-62-7)

LC50 - Fish [1]	160 mg/l (Leuciscus idus, 48h)
EC50 - Crustacea [1]	137 mg/l (Daphnia magna, 48 h)

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

RS19

Persistence and degradability	This polymer is not expected to be rapidly biodegradable.
-------------------------------	-----------------------------------------------------------

12.3. Bioaccumulative potential

RS19

Bioaccumulative potential	The product is not expected to bioaccumulate.
---------------------------	-----------------------------------------------

Oxalic acid (144-62-7)

Partition coefficient n-octanol/water (Log Pow)	-0.81
-------------------------------------------------	-------

12.4. Mobility in soil

RS19

Ecology - soil	No information available.
----------------	---------------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : No data available

12.7. Other adverse effects

Other adverse effects : None to mention.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : If this product must be disposed as a waste the final user must do it accordingly with the European, national and local regulations. Use only authorised companies. Empty containers and residual product must not be washed out with water, this would provoke an inappropriate dissolution of the product and it would increase the amount of waste to dispose. Exhaust as much as possible the product and dispose the empty container taking into account Section 13.1.

Additional information : Keep the same recommendations provided in Sections 7 and 8 of this MSDS. Refer to Section 2 of this Safety Data Sheet.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR
Transport hazard class(es) (ADR) : Not applicable

IMDG
Transport hazard class(es) (IMDG) : Not applicable

IATA
Transport hazard class(es) (IATA) : Not applicable

ADN
Transport hazard class(es) (ADN) : Not applicable

RID
Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport
Not applicable

Transport by sea
Not applicable

Air transport
Not applicable

Inland waterway transport
Not applicable

Rail transport
Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list $\geq 0,1$ % / SCL
Contains no REACH Annex XIV substances

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Hazardous to the aquatic environment, short-term (acute) - comment	Added	
	Adverse effects on the environment caused by endocrine disrupting properties	Added	
	Adverse health effects caused by endocrine disrupting properties	Added	
	STOT-single exposure - comment	Added	
	STOT-repeated exposure - comment	Added	
	Skin corrosion/irritation - comment	Added	
	Respiratory or skin sensitisation - comment	Added	
	Reproductive toxicity - comment	Added	
	Germ cell mutagenicity - comment	Added	
	Serious eye damage/irritation - comment	Added	
	Carcinogenicity - comment	Added	
	Aspiration hazard - comment	Added	
	SDS EU format	Added	
	Issue date	Modified	
	Supersedes	Modified	
	Revision date	Modified	
2.2	EUH-statements	Removed	

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
2.2	Contains	Added	
4.2	Symptoms/effects upon intravenous administration	Added	
6.1	Emergency procedures	Modified	
7.1	Hygiene measures	Added	
7.2	Incompatible materials	Added	
8.2	Consumer exposure controls	Added	
12.4	Ecology - soil	Added	
15.1	Storage class (LGK)	Added	
16	Other information	Added	

Abbreviations and acronyms	
	<p>REACH EC 1907/2006 regulation. Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.</p> <p>CLP: Classification, Labelling and Packaging. EC Regulation 1272/2008.</p> <p>DNEL: Derived No Effect Level.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic.</p> <p>vPvB: very Persistent and very Bioaccumulative.</p>

Other information : The latest version of the MSDS of this product can be obtained through the link <https://www.derypol.com/en/technical-documentation/>.

Full text of H- and EUH-statements	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.

RS19

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements	
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]		
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.